EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|-------------|-----|------------------|---------|-----------|
| S1 | 924 | (remote adj access) with authenticat$4 | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/10/09 15:54 |
| S2 | 68 | S1 and (operat$4 adj system OS) and (BIOS basic adj input adj output adj system) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/10/09 15:56 |
| S3 | 1 | "20060200681" | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/10/09 16:52 |
| S4 | 392 | S1 and (user adj interface) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/10/09 16:56 |
| S5 | 47 | S4 and (power near2 supply) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/10/09 16:57 |
| S6 | 10171 | (remote adj access) and server and memories | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/10/09 17:06 |
| S7 | 4456 | S6 and authenticat$4 | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/10/09 17:06 |
| S8 | 3374 | S7 and display | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/10/09 17:08 |
| S12 | 925 | (remote adj access) with authenticat$4 | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/10/14 10:01 |
| S13 | 393 | S12 and (user adj interface) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/10/14 10:01 |
| S14 | 357 | S13 and (multiple adj memories or memories) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/10/14 10:01 |

| S15 | 153 | S14 and storage adj medium | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/10/14 10:02 |
| S16 | 318 | S14 and (storage adj medium or media) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/10/14 10:02 |
| S17 | 141 | S16 and non$1volatile | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/10/14 10:03 |
| S18 | 511 | client near2 server and (multiple adj memories) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/10/14 10:13 |
| S19 | 491 | S18 and interface | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/10/14 10:13 |
| S20 | 30 | S19 and remote adj access | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/10/14 10:14 |
| S29 | 47 | ("5483466" "5495533" "5539885" "5548729" "5548753" "5566069" "5594661" "5594921" "5644404" "5657447" "5710884" "5717598" "5720036" "5724522" "5732218" "5745681" "5751941" "5751958" "5752244" "5768566" "5778368" "5796934" "5826267" "5832211" "5842211" "5854889" "5857187" "5857190" "5875296" "5881232" "5889958" "5910796" "5913030" "5918228" "5925100" "5926180" "5930786" "5933593" "5949415" "5960449" "5963950" "5966135" "5966705" "5974407" "5974461" "5983228" "6003047").pn. | US-PGPUB; USPAT | OR | ON | 2008/10/14 12:59 |
| S31 | 20 | S12 and ic adj card | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/10/14 13:49 |
| S32 | 446 | S12 and client near2 server | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/10/14 14:03 |
| S33 | 11 | S32 and ic adj card | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/10/14 14:04 |
| S35 | 12 | multifunctional adj memory adj card | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/10/14 15:43 |

| S37 | 15806 | (remote adj access) and (memory areas) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/10/14 16:11 |
|-----|-------|----------------------------------------|--------------------------|-----|-----|------------------|
| S38 | 1044 | (storage adj medium) same (client adj device) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/10/14 16:18 |
| S39 | 63 | S37 and S38 | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/10/14 16:18 |
| S40 | 1 | "6438550".pn. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/10/14 16:28 |
| S41 | 42175 | (os operating adj system) and (boot or bootable) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/10/29 08:20 |
| S42 | 31 | (os operating adj system) and ((boot or bootable) near2 (memory adj card)) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/10/29 08:21 |
| S43 | 502 | ((Memory or IC or smart) near3 card) same (Authenti$6 or verif$7 or authori$6 or validat$3) same Remote same (Access$3 or login or logon) same (Server or computer or node or main$1frame$1 or process$1r$1) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/10/29 08:46 |
| S44 | 2329 | (Anti$1tamper$3 or static or secur$3) same Non$1volatile same (Memory or storage or RAM or ROM) same ((Memory or IC or smart) near3 card) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/10/29 08:47 |
| S45 | 59 | S43 and S44 | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/10/29 08:47 |
| S46 | 2082 | S44 and two | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/10/29 08:51 |
| S47 | 165 | S44 same two | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/10/29 08:51 |
| S48 | 23 | S43 and S47 | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/10/29 08:52 |
| S49 | 36 | S45 not S48 | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/10/29 09:01 |

| S50 | 1 | ((Memory or IC or smart) near3 card) and (Authenti$6 or verif$7 or authori $6 or validat$3) and Remote and (Access$3 or login or logon) and (Server or computer or node or main$1frame$1 or process$1r$1) and (Anti$1tamper $3 or static or secur$3) and Non$1volatile | EPO; JPO; DERWENT | OR | ON | 2008/10/29 09:11 |
|---|---|---|---|---|---|---|
| S51 | 106257 | (((Memory or IC or smart) near3 card) and 713/193.ccls. or 711/163-164. ccls. or 709/212,217-219,227-229.ccls. or "375".clas.) not S45 | US-PGPUB; USPAT | OR | ON | 2008/10/29 09:20 |
| S52 | 24444 | (((Memory or IC or smart) near3 card) and 713/193.ccls. or 711/163-164. ccls. or 709/212,217-219,227-229.ccls.) not S45 | US-PGPUB; USPAT | OR | ON | 2008/10/29 09:20 |
| S53 | 23503 | ((((Memory or IC or smart) near3 card) same (Anti$1tamper$3 or static) same Non$1volatile) and 713/193.ccls. or 711/163-164.ccls. or 709/212,217-219,227-229.ccls.) not S45 | US-PGPUB; USPAT | OR | ON | 2008/10/29 09:22 |
| S54 | 23500 | ((((IC or smart) near3 card) same (Anti$1tamper$3) same Non$1volatile) and 713/193.ccls. or 711/163-164.ccls. or 709/212,217-219,227-229.ccls.) not S45 | US-PGPUB; USPAT | OR | ON | 2008/10/29 09:23 |
| S55 | 0 | ((((IC or smart) near3 card) same (Anti$1tamper$3) same Non$1volatile) and ( 711/163-164.ccls. or 709/212,217-219,227-229.ccls.) not S45 | US-PGPUB; USPAT | OR | ON | 2008/10/29 09:26 |
| S56 | 2477 | 713/193.ccls. | US-PGPUB; USPAT | OR | ON | 2008/10/29 09:28 |
| S57 | 54 | S44 and S56 | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/10/29 09:29 |
| S58 | 427 | ((Multi$1function$3 or IC or smart) near3 card) same (Authenti$6 or verif $7 or authori$6 or validat$3) same Remote same (Access$3 or login or logon) same (Server or computer or node or main$1frame$1 or process$1r $1) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/10/29 09:44 |
| S59 | 124 | (Anti$1tamper$3 or static) same Non$1volatile same (Memory or storage or RAM or ROM) same ((Multi$1function$3 or IC or smart) near3 card) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/10/29 09:45 |
| S60 | 2 | S58 and S59 | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/10/29 09:45 |
| S61 | 86 | smart$1card$1) same (Authenti$6 or verif$7 or authori$6 or validat$3) same Remote same (Access$3 or login or logon) same (Server or computer or node or main$1frame$1 or process$1r$1) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/10/29 09:47 |
| S62 | 11 | (Anti$1tamper$3 or static) same Non$1volatile same smart$1card$1 | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/10/29 09:48 |

| S63 | 0 | S61 and S62 | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/10/29 09:48 |
|---|---|---|---|---|---|---|
| S64 | 39 | ("5929414", "20020177407,6434403,7344074,6776339".pn.) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/10/30 17:15 |
| S65 | 0 | ("5929414,20020177407,6434403,7344074,6776339".pn.) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/10/30 17:16 |
| S66 | 1 | "5929414".pn. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/10/30 17:16 |
| S67 | 1 | "20020177407".pn. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/10/30 17:17 |
| S68 | 1 | "6434403".pn. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/10/30 17:17 |
| S69 | 1 | "7344074".pn. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/10/30 17:18 |
| S70 | 1 | "6776339".pn. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/10/30 17:19 |
| S71 | 1 | "20060200681".pn. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/10/30 17:24 |
| S72 | 1482 | (remote adj access) and (smart adj card) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/10/30 17:42 |
| S73 | 725 | S72 and (server same client) and (wire wireless) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/10/30 17:43 |
| S74 | 612 | S73 and (OS operating adj system) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/10/30 17:46 |
| S75 | 2 | S74 and (non$1volatile) same (anti$1tampering tamper$1resistant) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/10/30 17:47 |

| S76 | 234 | S74 and (non$1volatile) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/10/30 17:48 |
|-----|-----|-------------------------|--------------------------|-----|-----|------------------|
| S77 | 203 | S76 and authenticat$3 | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/10/30 17:49 |
| S78 | 1 | (remote adj access adj system) same (smart adj card) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/10/31 08:52 |
| S79 | 41 | (remote near3 access near3 system) same (smart adj card) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/10/31 08:54 |
| S80 | 7840 | (server) same (client) and (smart adj card) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/10/31 09:12 |
| S81 | 714 | (remote near3 access near3 system) and (smart adj card) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/10/31 09:13 |
| S82 | 19 | S81 and (anti$1tampering tamper$1resistant) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/10/31 09:15 |
| S83 | 38 | "5878134" | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/10/31 09:22 |
| S84 | 1 | "5878134".pn. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/10/31 09:22 |
| S85 | 13 | "713"/$.ccls. and (remote near3 access near3 system) same (smart adj card) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/10/31 09:23 |
| S86 | 1 | "3798605".pn. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/10/31 09:32 |
| S87 | 1 | "5065429".pn. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/10/31 09:32 |
| S88 | 1 | "5191611".pn. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/10/31 09:34 |

| S89 | 18821 | (remote near3 access) and (server) and (client) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/10/31 10:36 |
| S90 | 1789 | S89 and (smart adj card) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/10/31 10:36 |
| S91 | 33 | S90 and (non$1volatile) and (anti$1tampering tamper$1resistant) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/10/31 10:37 |
| S92 | 1 | "20030236889".pn. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/10/31 10:53 |
| S93 | 1 | "6775776".pn. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/04 16:12 |
| S94 | 1 | "6125054".pn. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/04 16:13 |
| S95 | 6 | prioritiz$5 near3 access with memory adj (storage area region) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/04 16:14 |
| S96 | 39 | prioritiz$5 near3 access and (smart adj card) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/04 16:16 |
| S97 | 19 | "6115819" | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/04 16:25 |
| S98 | 1 | "6115819".pn. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/04 16:25 |
| S99 | 1 | "20030226029".pn. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/04 16:26 |
| S100 | 1 | "20060200681".pn. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/05 09:23 |

| S105 | 2 | "4652993".pn. | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2008/11/05 11:08 |
|------|-----|---------------|------|-----|-----|------|
| S106 | 343 | prioritiz$5 near3 access with device | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2008/11/05 11:11 |
| S107 | 22 | prioritiz$5 near3 access with device same storage | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2008/11/05 11:11 |
| S108 | 4 | prioritiz$5 near3 access same (non$volatile) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2008/11/05 11:27 |
| S109 | 92 | (prioritiz$5 sequence) near3 access same (non$volatile) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2008/11/05 11:29 |
| S110 | 261 | (remote adj access) and (power adj supply) same server same device | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2008/11/05 11:45 |
| S111 | 4 | (remote adj access) and (power adj supply) same server same (client adj device) | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2008/11/05 11:46 |
| S112 | 1 | "5652892".pn. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/06 10:02 |
| S113 | 43788 | (os operating adj system) with switch$3 | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/06 10:42 |
| S114 | 129 | S113 and (smartcard smart$1card) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/06 10:43 |
| S115 | 12 | S113 same (smartcard smart$1card) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/06 10:45 |

| S116 | 1 | (smartcard smart$1card) with (os operating adj system) adj program | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/06 10:48 |
| S117 | 0 | (smartcard smart$1card) with (boot boot$4) adj program | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/06 10:49 |
| S118 | 1 | "6920561".pn. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/10 08:37 |
| S119 | 1 | "20060200681".pn. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/10 10:24 |
| S120 | 38331 | (OS operat$3 adj system) with switch | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/10 10:28 |
| S121 | 82 | S120 and (smart$1card) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/10 10:29 |
| S122 | 253 | (OS operating adj system) near3 (smart$card) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/10 10:34 |
| S123 | 1 | "6260140".pn. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/10 11:04 |
| S124 | 1 | "6727920".pn. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/10 13:55 |
| S125 | 1 | "6144969".pn. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/10 13:58 |
| S126 | 1 | "6032239".pn. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/10 13:59 |
| S127 | 1 | "5887163".pn. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/10 14:00 |
| S128 | 1 | "5845282".pn. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/10 14:05 |

| S129 | 73 | ((boot$3 run$4) same (os operating adj system) with smart$card) and (boot $3 run$4) same (os operating adj system) with computer | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/10 14:08 |
| S130 | 29 | (choos$3 boot$3 run$3) same ((os operating adj system) with smart$card) and (os operating adj system) with (pc client adj device) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/10 14:20 |
| S131 | 19 | (multiple near3 boot$3) and smart$card | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/10 14:22 |
| S132 | 980 | (multiple near3 boot$3) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/10 14:24 |
| S133 | 0 | (multiple near3 boot$3) same smart$1card | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/10 14:24 |
| S134 | 220 | (os operating adj system) with configur$5 same (setting near3 parameters) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/10 14:28 |
| S135 | 1 | "6757824".pn. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/10 14:35 |
| S136 | 1 | "6945454".pn. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/10 14:50 |
| S137 | 0 | smart$1card same ((multi$1boot$3) adj operating adj system) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/10 14:51 |
| S138 | 0 | smart$1card same ((multi$1boot$3) near3 operating adj system) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/10 14:52 |
| S139 | 226454 | (choos$3 select$3 identif$3 switch$3) with(os operating adj system) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/10 15:04 |
| S140 | 226454 | (choos$3 select$3 identif$3 switch$3) with (os (operating adj system)) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/10 15:05 |
| S141 | 43788 | switch$3) with (os (operating adj system)) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/10 15:06 |

| S142 | 8030 | (switch$3) with (operating adj system) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/10 15:06 |
|------|------|---------------------------------------|--------------------------|----|----|------------------|
| S143 | 546  | (switch$3) with (operating adj system) with storage | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/10 15:07 |
| S144 | 4    | (switch$3) with (operating adj system) with smart$1card | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/10 15:07 |
| S145 | 428  | (switch) with (operating adj system) with storage | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/10 15:08 |
| S146 | 51   | (switch) near2 (operating adj system) with storage | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/10 15:08 |
| S147 | 1    | "5430845".pn. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/10 15:51 |
| S148 | 121  | S134 and switch | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/10 16:17 |
| S149 | 14   | S134 and (switch) near3 (operating adj system) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/10 16:18 |
| S150 | 1    | "6690400".pn. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/10 16:36 |
| S151 | 1    | "7356677".pn. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/10 16:37 |
| S152 | 1    | "6088794".pn. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/10 16:42 |
| S153 | 1    | "20070083750".pn. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/10 17:43 |
| S154 | 1    | "6088794".pn. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/12 08:28 |

| S155 | 1 | "5526519".pn. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/12 14:23 |
|------|------|------|------|------|------|------|
| S156 | 1 | "7010809".pn. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/12 14:39 |
| S157 | 1 | "20020131594".pn. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/12 14:40 |
| S158 | 1 | "20040010467".pn. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/12 14:41 |
| S159 | 199280 | copy$3 transfer$4 transmi$5) near5 (data information) near5 (storage memory) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/12 17:26 |
| S160 | 20219 | copy$3) near5 (data information) near5 (storage memory) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/12 17:26 |
| S161 | 1038 | S160 and "713"/$.ccls. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/12 17:27 |
| S162 | 434 | S160 and "726"/$.ccls. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/12 17:27 |
| S163 | 368 | S160 and "380"/$.ccls. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/12 17:27 |
| S164 | 1135 | copy$3) near5 (data information) near5 ((primary secondary) adj2 storage memory)) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/12 17:28 |
| S165 | 23 | S164 and "713"/$.ccls. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/12 17:29 |
| S166 | 0 | copy$3) near5 ((authentication) adj (information data)) near5 ((primary secondary) adj2 (storage memory)) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/12 17:34 |
| S167 | 0 | copy$3) near5 ((authentication) near3 (information data)) near5 ((primary secondary) adj2 (storage memory)) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/12 17:34 |

| S168 | 0 | (copy$3) near5 ((authenticat$3 author$5) near3 (information data)) near5 ((primary secondary) adj2 (storage memory)) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/12 17:35 |
|------|---|-----------------------------------------------------------------------------------------------------------------------|--------------------------|----|----|------------------|
| S169 | 0 | (copy$3) near5 (authenticat$3 author$5) near5 ((primary secondary) adj2 (storage memory)) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/12 17:35 |
| S170 | 0 | (transfer$5) near5 (authenticat$3 author$5) near5 ((primary secondary) adj2 (storage memory)) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/12 17:36 |
| S171 | 1 | "20030031319".pn. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/12 17:37 |
| S172 | 0 | "67151000".pn. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/12 17:40 |
| S173 | 1 | "6715100".pn. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/12 17:40 |
| S174 | 1 | "6675258".pn. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/12 17:41 |
| S175 | 1 | "5729761".pn. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/12 17:42 |
| S176 | 1 | "5699504".pn. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/12 17:42 |
| S177 | 108217 | (transfer$4) near5 (data information) near5 (storage memory) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/12 17:46 |
| S178 | 4060 | (duplicat$3) near5 (data information) near5 (storage memory) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/12 17:46 |
| S179 | 6 | (duplicat$3) near5 ((authenticat$3 authoriz$5) adj (information data)) near5 (storage memory) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/12 17:47 |
| S180 | 1 | "20030031319".pn. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/13 08:17 |

| S181 | 1 | "20040025040".pn. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/13 08:31 |
|------|---|---|---|---|---|---|
| S182 | 1 | "6539468".pn. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/13 08:34 |
| S183 | 1 | "6748539".pn. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/13 08:40 |
| S184 | 1 | "6832319".pn. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/13 08:41 |
| S185 | 1 | "6865552".pn. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/13 08:55 |
| S186 | 1 | "6987854".pn. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/13 09:05 |
| S187 | 1 | "5835601".pn. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/13 09:06 |
| S188 | 993 | ((retain$3) near3 (copy$3)) with (information data) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/13 09:08 |
| S189 | 726 | ((retain$3) near3 (copy$3)) with (data) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/13 09:08 |
| S190 | 619 | ((retain$3) near2 (copy$3)) with (data) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/13 09:08 |
| S191 | 321 | ((retain$3) near2 (copy$3)) near2 (data) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/13 09:09 |
| S192 | 0 | ((retain$3) near2 (copy$3)) near2 (authenticat$3 authoriz$5) adj data | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/13 09:09 |
| S193 | 4 | ((retain$3) near2 (copy$3)) near2 (authenticat$3 authoriz$5) adj information | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/13 09:10 |

| | | | | | | |
|---|---|---|---|---|---|---|
| S194 | 0 | ((keep) near2 (copy$3)) near2 (authenticat$3 authoriz$5) adj information | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/13 09:16 |
| S195 | 6 | ((maintain save) near2 (copy$3)) near2 (authenticat$3 authoriz$5) adj information | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/13 09:16 |
| S196 | 6 | ((maintain save) near2 (copy$3)) near2 (authenticat$3 authoriz$5) adj (information data) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/13 09:18 |
| S197 | 4 | ((retain) near2 (copy$3)) near2 (authenticat$3 authoriz$5) adj (information data) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/13 09:18 |
| S198 | 0 | ((keep) near2 (copy$3)) near2 (authenticat$3 authoriz$5) adj (information data) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/13 09:18 |
| S199 | 0 | ((hold preserve) near2 (copy$3)) near2 (authenticat$3 authoriz$5) adj (information data) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/13 09:18 |
| S200 | 17247 | (remote adj access) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/13 10:36 |
| S201 | 7 | S200 and 380/232.ccls. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/13 10:37 |
| S202 | 123 | S200 and 713/1-2.ccls. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/13 10:37 |
| S203 | 55 | (multi adj boot) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/13 10:42 |
| S204 | 5642 | 713/1-2,100.ccls. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/13 10:42 |
| S205 | 28 | S204 and (multi$1boot$3) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/13 10:42 |
| S206 | 5979 | S200 and authenticat$3 | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/13 11:06 |

| S207 | 944 | S200 with authenticat$3 | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/13 11:06 |
| S208 | 1 | S207 and 380/232.ccls. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/13 11:06 |
| S209 | 157 | S200 and 713/168,171.ccls. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/13 11:08 |
| S210 | 1121 | 713/156.ccls. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/13 11:09 |
| S211 | 57 | S200 and S210 | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/13 11:09 |
| S212 | 831 | 713/185.ccls. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/13 11:09 |
| S213 | 45 | S212 and S200 | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/13 11:09 |
| S214 | 61 | 713/186.ccls. and S200 | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/13 11:10 |
| S215 | 14 | copy$) near5 (authenticat$3 authoriz$5) adj (information data) with (memory) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/13 15:12 |
| S216 | 1 | copy$) near5 (authenticat$3 authoriz$5) adj (information data) with (memory near3 area) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/13 15:16 |
| S217 | 344 | copy$) near5 (authenticat$3 authoriz$5) adj (information data) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/13 15:16 |
| S218 | 0 | copy$) near5 (authenticat$3 authoriz$5) adj (information data) with (storage adj area) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/13 15:17 |
| S219 | 35 | copy$) near5 (authenticat$3 authoriz$5) adj (information data) with (storage) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/13 15:17 |

| S220 | 1 | ((retain$3) near3 (copy)) near5 (authenticat$3 authoriz$5) adj (information data) with (storage) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/13 15:21 |
| S221 | 32 | ((copy$3) near5 (authenticat$3 authoriz$5)) adj (information data) with (storage) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/13 15:22 |
| S222 | 21 | ((access near3 restrict$4) with (os operating adj system)) with authenticat$4 | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/13 15:26 |
| S223 | 37 | ((access near3 restrict$4) with (os operating adj system)) same authenticat$3 | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/13 15:28 |
| S224 | 763 | ((access near3 restrict$4) with (os operating adj system)) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/13 15:30 |
| S225 | 323 | S224 and authenticat$3 | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/13 15:31 |
| S226 | 37 | S224 same authenticat$3 | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/13 15:31 |
| S227 | 59 | S224 and (remote adj access) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/13 15:32 |
| S228 | 37 | ((access near3 restrict$4) with (os operating adj system)) same authenticat$3 | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/13 15:42 |
| S229 | 2 | ((access near3 restrict$4) with (os operating adj system)) same (authenticat$3 adj information) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/13 15:42 |
| S230 | 1 | ((access near3 restrict$4) with (os operating adj system)) same (cancel$4) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/13 15:44 |
| S231 | 47 | ((access near3 restrict$4) with (os operating adj system)) with (authoriz$5) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/13 16:00 |
| S232 | 175 | ((access adj restrict$4) with (os operating adj system)) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/13 16:02 |

| S233 | 18 | S232 with authoriz$5 | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/13 16:02 |
| S234 | 1 | "5923842".pn. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/13 16:04 |
| S235 | 1 | "5265163".pn. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/13 16:08 |
| S236 | 2 | ((copy$3) near3 (authenticat$3 authoriz$5) adj (information data)) with (stor$3) near3 memory | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/13 16:17 |
| S237 | 4 | ((copy$3) near3 (authenticat$3 authoriz$5) adj (information data)) with (stor$3) near3 storage | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/13 16:21 |
| S238 | 4 | ((store) near3 (authenticat$3 authoriz$5) adj (information data)) same (primary secondary) adj storage | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/13 16:25 |
| S239 | 9 | ((allow$3) with (copy$3)) with (authenticat$3 adj information) and (memory storage) | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/13 16:31 |
| S240 | 1 | "20030196089".pn. | US-PGPUB; USPAT; IBM_TDB | OR | ON | 2008/11/13 17:56 |

11/18/2008 3:10:11 PM
C:\Documents and Settings\pvu3\Desktop\East Searches\10566943.wsp